About WOONGJIN COWAY

Made with Coway's exceptional core technology, our highly competitive products are popular in more than 60 countries around the world. As the world's largest specialist in water filtration devices and leading edge household well-being electronics, we have developed a product line that meets the diversified needs of global consumers through relentless research in environment-friendly products across a broad range of categories.



COWAY DIGITAL BIDET PRODUCT COLLECTION 2009

Coway

We Bring Wellnes

Cowav

Increasingly recognized as a world leader in innovative household health / lifestyle technology, Coway's awards and special recognitions continue to accumulate.

AWARDS

CERTIFICATES







V.2.1



Add 10F, Naewei Bldg., 6 Euljiro 2-Ga, Jung Gu, Seoul, Korea (100-844) Tel 82-2-2172-3650, Fax 82-2-2172-3996





RELAXING. REFRESHING. REVITALIZING-COWAY DIGITAL BIDET

Forward-looking technology in an elegant, sophisticated design to add that extra measure of energy and health to modern life.



Essential personal hygiene in every life



Thoroughly cleaning heat and refreshing coolness provide the perfect solution for the modern woman's personal concerns.



The synergistic effectiveness of hot water combined with hot air both helps to protect sensitive areas against disease and ease recovery from any existing conditions.



For the elderly and otherwise infection prone, this hygienic advance offers the additional assurance of a healthy life.



The gentle hot water cleansing and enjoyable massage effect encourage healthy, regular and clean toilet habits in children.

The Benefits of the Bidet

Maximum Cleanliness As thorough as a full cleansing but limited to the one sensitive region. It is not only more comfortable than tissue,but it cleans more completely by affecting areas that might be passed over by tissue due to personal anatomical features such as wrinkles.

Heightened Defense against Bacteria Minute areas within skin folds that frequently go untouched by tissue cleaning can provide an ideal propagation area for bacteria. The bidet can reach all such areas and removes the potential threat to health.

Defense Against Other Common Diseases Bathrooms typically house numerous parasitic and bacterial threats to urinary and lower gastro-intestinal tract health. Only the thorough cleansing provided by bidet technology can ensure these threats have no opportunity to become real.

Massage Function


The warm water - warm air cleaning, when combined with the massage not only produce a pleasant relaxing sensation, but stimulate circulation, capillary growth and health, for helping to relieve such conditions as hemorrhoids and constipation.

Coway Digital Bidet System

softer cleaning action for sensitive skin

but reduces water consumption.

The tissue-free, hands-free alternative for more complete and pleasant cleaning.



BA13

The cleaner way - Coway Premium Bidet

Long term, effortless use with the twin Stainless Nozzle.

The hardened stainless nozzle resists soiling thereby reducing or eliminating bacterial growth. It's easy-to-clean, semi-permanent nature means less time or effort with replacement. The twin nozzle configuration ensures accurate coverage for all users.



Sterilization

Deodorization is automatically activated

Deodorization is automatically activated when the unit is used thereby ensuring that any foul odors are thoroughly removed and leaving both you and your restroom feeling and smelling fresh and nozzle life (BA13-B only). clean (BA13-B only).

Stainless Steel Nozzle

- The hardened, smooth stainless stee build up of foreign matter and bacter contamination for assured hygiene.

Energy efficiency

- The instant hot water system reduce consumption by 60% versus convention tank systems.

Triple Short-circuit Cut-off Protection

- The three part sensor system - temp bimetallic, and temperature fuse - e by shutting off equipment in potentia conditions.

Mesh Filter

- This initial stage pre-cleans incomin removing particulate matter.

3 step flow width control

- You can personally control the cleani spread from strong concentrated cu spread current.

Air[•] Water stream

- Air pump injects bubbles into the wa a softer, gentler feel.

Twin Nozzles

- Twin nozzles for enhanced hygiene and more accurate individual use.

Remote Control Convenience

- All functions are managed from an easy to use, intuitive remote control.
- 2009 red<mark>dot</mark> design award



Silver oxide nano particle treatment system has powerful anti-fungal & antibacterial properties to keep the nozzle clean and corrosion free for longer

Water out

Cutting-edge Instant heating system

By way of the safety protected, super thermal conductivity, ceramic heater, warm water is instantly created and available at the push of a button at any time - all while being more energy efficient.

	MODEL BA13-A/B			
el prevents rial	Operating Time	Rear Cleansing	1 minute Maximum 0.13gal / min (0.5l / min), Self-cleansing nozzle	
s power ional storage		Bidet	1 minute Maximum 0.13gal / min (0.5l / min), Self-cleansing nozzle	
lonat storage		Off	Room Temperature	
perature, nsures safety Illy hazardous	Seat Temperature	On	Low : 87.8°F (31°C) Medium :93.2°F (34°C) High : 98.6°F (37°C)	
	Warm Air Dryer	Temperature Control	3 Levels	
		Operating Time	2 minutes	
y water,	Filter	Mesh Type (Optional MF filter)		
	Power Consumption	1,200W (Max.)		
ing flow rrent to softly	Operating Noise	37.0 ~ 48.0dB		
	Dimension (W X H X D)	[BA13-AR/BR] 15.7 X 19.4 X 5.7 inch / 399 X 493 X 144 mm [BA13-AE/BE] 15.7 X 20.8 X 5.7 inch / 399 X 528 X 144 mm		
	Net Weight	13.2~14.3lb (6.0~6.5kg)		



BA11

Build in Mp3


Body Sensor

Memory Control









location. These settings are easily activated with a single touch.

Instant heating system

- The instant heating system provides ready water at your choice of a range of temperatures. The instant hot water system has six temperature levels. (Off/30°C/32°C/34°C/36°C/38°C)

Energy Efficiency Innovation

- The instant hot water system reduces power consumption by 60% versus conventional storage tank systems. Also power consumption has been minimized to one Watt in standby mode.

Mp3 player (BA11-B only)

- A removable 1Gb Mp3 allows you to listen to music while performing any restroom routine.

3 step flow width control

- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

Air⁺ water stream

Air⁺ water stream

gentler water stream.

- An air pump injects bubbles to create a softer,

- An air pump injects bubbles to create a softer, gentler water stream.

Occuration Time	Rear Cleansing	1 minute Maximum 0.16gal / min (0.6l /min self-cleansing nozzle	
Operating Time	Bidet	1 minute Maximum 0.16gal / min (0.6l /min) self-cleansing nozzle	
	Off	Room temperature	
Seat Temperature	On	1 level : 86°F (30°C) 2 level : 89.6°F (32° 3 level : 93.2°F (34°C) 4 level : 96.8°F(36° 5 level : 100.4°F (38°C)	
Warm Air Dryer	Temperature Control	4 Levels	
	Operating Time	2 minutes	
ME Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5NTU of turbidity)	
	Dimension	(L) 120 mm X (¤ ʷ) 48mm	
Power Consumption	1,130W (Max.)		
Operating Noise	37.0 ~ 48.0dB		
Dimension (W X H X D)	16.6 X 6.02 X 20.9 inch 422 X 153 X 531 mm		
Net Weight	11.5lb (5.2kg)		

BA11-A/B

* Specifications are subject to change without prior notice.

BA07

Practical bidet featuring with control panel

Nano silver ceramic MF Filter - Nano silver balls ensure water clea

3 step flow width control

- You can personally control the clear spread from strong concentrated cu spread current.

Self cleaning nozzle

- After use, the nozzle automatically spray to ensure it is clean before sh

Twin nozzles

- Twin nozzles for enhanced hygiene accurate individual use.

Nozzle movement

- Optimized movement of 5 level nozz suits users individual needs.

Anti bacterial parts - Anti-bacterial plastic nozzle and noz

Personal control of seat temperature temperature and water pressure.

Non-Electric Bidet System

BA12

Economical bidet with No Electric wiring : Operated by water pressure

Motorless Bidet

- Economical bidet operated by wat it doesn't require electricity. It is v and environmentally friendly.

Nano silver ceramic MF Filter - Nano silver balls ensure water cle

Self cleaning nozzle

- After use, the nozzle automaticall spray to ensure it is clean before s

Twin nozzles - Twin nozzles for enhanced hygien accurate individual use.

Anti bacterial parts - Anti-bacterial plastic nozzle and r

Ergonomic design & Convenient jog-

Control valve: Ceramic disk without ele

Control panel: Washing, Bidet, Nozz cleaning, Water flow control (Knob type). -Compatible with most toilets on most toilets -Uses water pressure only, eliminating need for electricity and reducing operating costs. -Simple installation -Attractively designed -Space saving

DAUO	

DANO



Convenient bidet with detachable remote control

Detachable Remote Control	MODEL		BA08-A
 The advanced remote control allows placement on the left or right side. The remote control has bigger buttons for ease of use - especially with children and the elderly. 	Operating Time	Rear Cleansing	1 minute Maximum 0.2gal / min(0.7l / min), Self-cleansing nozzle
Nano-silver ceramic MF Filter - Nano silver balls ensure water cleanliness.		Bidet	1 minute Maximum 0.2gal / min(0.7l / min), Self-cleansing nozzle
3 step flow width control	Seat temperature	Off	Room Temperature: 68°F (20° C)
- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.		On	Low : 93.2°F (34°C) Medium : 98.6°F (37°C) High : 104.0°F (40°C)
Self cleaning nozzle - After use, the nozzle automatically creates a spray	Warm Air Dryer	Temperature Control	3 Levels
to ensure it is clean before shutting down.		Operating Time	2 minutes
Twin nozzles - Twin nozzles for enhanced hygiene and more	MF Filter	Life Cycle	4 months (2.5tons / month, for under 0.5NTU of turbidity)
accurate individual use.		Dimension	(L) 136 mm X (¤ º) 48 mm
Nozzle movement	Power Consumption	850W (Max.)	
 Optimized movement of 5 level nozzle position suits users individual needs. 	Operating Noise	37.0 ~ 48.0dB	
Anti-bacterial material - Anti-bacterial plasic, nozzle, nozzle-tip.	Dimension (W X H X D)	[BA08-AR] 20.7 X 5.6 X 19.7 inch / 525 X 142 X 500 mm [BA08-AE] 20.7 X 5.6 X 20.9 inch / 525 X 142 X 530 mm	
Personal control of seat temperature, water	Net Weight	12.6lb (5.7kg)	
temperature and water pressure.	* Specifications are subject	to change without prior	notice. * R: Round type/ E: Elongate type.







White Black

	MODEL		BA07-A	
anliness.		Rear Cleansing	1 minute Maximum 0.2gal / min (0.7l / min), Self-cleansing nozzle	
aning flow current to softly	Operating Time	Bidet	1 minute Maximum 0.2gal / min (0.7l / min), Self-cleansing nozzle	
		Off	Room Temperature: 68°F (20° C)	
rcreates a hutting down.	Seat Temperature	On	Low : 93.2°F (34°C) Medium : 96.8°F (37°C) High : 100.4°F (40°C)	
e and more	Warm Air Dryer	Temperature Control	3 Levels	
		Operating Time	2 minutes	
zzle position	MF Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5NTU of turbidity)	
		Dimension	(L) 136 mm X (¤ º) 48 mm	
	Power Consumption	850 W (Max.)		
ozzle tip.	Operating Noise	37.0 ~ 48.0 dB		
e, water	Dimension (W X H X D)	[BA07-R] 19.3 X 5.9 X 20.1 inch / 490 X 150 X 510 mm [BA07-E] 19.3 X 5.9 X 21.3 inch / 490 X 150 X 540 mm		
	Net Weight	12.6 lb (5.7 kg)		
	* Specifications are subject t	to change without prior	notice * R. Round type/ F. Flongate type	

* Specifications are subject to change without prior notice. * R: Round type/ E: Elongate type



	MODEL		BA12	
ter pressure so very functional eanliness.	Operating Time	Rear Cleansing	1 minutes Maximum 0.3gal / min (1.2l / min) Self-cleansing nozzle	
		Bidet	1 minutes Maximum 0.3gal / min (1.2l / min) Self-cleansing nozzle	
	Bubble Wash	Maximum 0.3gal / min (1.2l / min), Self-cleansing nozzle		
ly creates a hutting down.	MF Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5 NTU of turbidity)	
		Dimension	(L) 136 mm X (¤ ኀ) 48 mm	
ne and more	Power Consumption	No electric power required		
	Operating Noise	37.0 ~ 48.0dB		
nozzle tip.	Dimension (W X H X D)	18.3 X 6.1 X 20.4 inch 464 X 156 X 518 mm		
dial controller	Net Weight	5.1lb (2.3kg)		
	* Specifications are subject to change without prior notice.			
ectronic power.				
zle self- type).				

